



# STORAGE DEALS





# MEET THE INNOVATIVE TOOL TROLLEYS



'CLASSIC' C75

STORAGE HUB E72

STORAGE HUB E77 'PREMIUM'

VISIT [BAHCO.COM](http://BAHCO.COM) FOR MORE INFORMATION

## GENERAL MAINTENANCE STORAGE HUB

E72 - ORANGE - 1472K5FF1SD

### BAHCO 26" 5-drawer NEXT GENERATION Tool Trolley, 147 tools included

- Specially made for heavy duty performance
- Personalize by adding different accessories\*
- Innovative safety features

STORAGE  
DEAL

\*accessories not included.



### FF1A178 -x93



26" [543 x 445 mm]

|          |  |  |
|----------|--|--|
| 6700SM   | 1/4" 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm                 |  |
| A6800DM  | 1/4" 7-8-9-10-11-13 mm                                     |  |
| 6956     | 1/4" 1/4" 150 mm   |  |
| 6961     | 1/4" 1/4" 100 mm   |  |
| 6966     | 1/4" 1/4" 35 mm  |  |
| 7800SM   | 1/2" 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |  |
| 7805DM   | 1/2" 10-13-17-18-19-16-21-22 mm                            |  |
| 7805SM   | 1/2" 16-21 mm  |  |
| 8160-1/2 | 1/2" 1/2" 125 mm   |  |
| 8162-1/2 | 1/2" 1/2" 250 mm   |  |

|           |  |  |
|-----------|--|--|
| 8166-1/2  | 1/2" 1/2" 72 mm  |  |
| 8156-1/2  | 1/2" 1/2" 257 mm   |  |
| 7106S0080 | 1/2" 5/16"   |  |
| 6973      | 1/4" 1/4"  |  |
| 70S       | 5/16" T45-T50-T55  |  |
| 2058-BR   | 1/4" 8 mm  |  |
| 59/S31B-T | 1/4": P21, P22 (x3), P23; PH1, PH2 (x3), PH3, PH2G (x2); T10, T15 (x3), T20 (x3), T25 (x2), T27, T30; SL: 3, 4.5, 5.5 mm; HEX: 3.4.5.6; KM653-QR |  |
| 6950SL    | 1/4" 1/4" 120 mm   |  |
| 8150SL    | 1/2" 1/2" 265 mm   |  |

### FF1A75 -x24



26" [543 x 445 mm]

|           |                              |  |
|-----------|------------------------------|--|
| BE-9770-B | 1.5-2-2.5-3-4-5-6-8-10 mm    |  |
| BE-8030   | 3.5x0.6x75                   |  |
| BE-8150   | 5.5x1.0x100                  |  |
| BE-8611   | PH1 x 75                     |  |
| BE-8621   | PH2 x 125                    |  |
| BE-8811   | P21 x 75                     |  |
| BE-8821   | P22 x 100                    |  |
| 111M      | 8-10-12-13-14-15-16-17-19 mm |  |

### FF1A76 -x30



26" [543 x 445 mm]

|                  |                        |  |
|------------------|------------------------|--|
| 3734S/6-T        | 2-3-4-5-6-8 mm; 150 mm |  |
| 481-400          | 400 g                  |  |
| KB18-01          | 18 x 161 mm            |  |
| KSBG18-10 DISPEN | 18 mm, x10             |  |
| 317-3906         | 432 mm                 |  |
| 3906-300-24-10P  | 24; 300 mm, x10        |  |



# GENERAL MAINTENANCE STORAGE HUB

E72 - ORANGE - 1472K6FF7SD

## BAHCO 26" 6-drawer NEXT GENERATION Tool Trolley, 205 tools included

- Specially made for heavy duty performance
- Personalize by adding different accessories\*
- Innovative safety features

STORAGE  
DEAL

\*accessories not included.



### FF1A81 - x31



26" [543 x 445 mm]

|              |  |  |
|--------------|--|--|
| B191.040.100 | 4.0x0.8x100                                    |  |
| B190.055.125 | 5.5x1.2x125                                    |  |
| B190.065.150 | 6.5x1x150                                      |  |
| B192.000.075 | PH0x75   |  |
| B192.001.100 | PH1x100  |  |
| B192.002.125 | PH2x125  |  |
| 111M         | 6-7-8-9-10-11-12-13-14-15-16-17-19-21-22-24 mm |  |
| BE-9770-B    | 1.5-2-2.5-3-4-5-6-8-10 mm                      |  |

### FF1A82 - x16




26" [543 x 445 mm]

|                  |                        |  |
|------------------|------------------------|--|
| 3734S/6-T        | 2-3-4-5-6-8 mm; 150 mm |  |
| 479-16           | 450 g                  |  |
| 3625W-35         | 35 mm                  |  |
| MTG-3-16         | 3 m; 16 mm             |  |
| KB18-01          | 18x161 mm              |  |
| KSBG18-10 DISPEN | 18 mm, x10             |  |

|           |                  |  |
|-----------|------------------|--|
| 2101G180  | 180 mm           |  |
| 2678G-180 | 2.0; 1.4; 180 mm |  |
| 2470G-200 | 200 mm           |  |
| 2530      | 350 mm           |  |
| 8224      | 250 mm           |  |

### FF1A179 - x158



26" [543 x 445 mm]

|            |  |  |
|------------|--|--|
| 2058-BR    | 1/4", 8 mm   |  |
| 59/S100B-T | 1/4": 4.5-5.5; PH1(x2)-PH2(x9)-PH3-PH2G(x5); PZ1(x2)-PZ2(x9)-PZ3-T10(x3)-T15(x5)-T20(x15)-T25(x8)-T27-T30(x15)-T40(x3)-TR10-TR15-TR20-TR25-TR30; HEX3-HEX4(x3)-HEX5-HEX6(x3)-HEX8; R1-R2 |  |
| 6950SL     | 1/4" 1/4" 120 mm   |  |
| 8150SL     | 1/2" 1/2" 265 mm   |  |
| 6700SM     | 1/4" 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm   |  |
| A6800DM    | 1/4" 7-8-9-10-11-13 mm   |  |
| 6956       | 1/4" 1/4" 150 mm   |  |
| 6961       | 1/4" 1/4" 100 mm   |  |
| 6966       | 1/4" 1/4" 35 mm  |  |
| 7800SM     | 1/2" 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm   |  |
| 7805DM     | 1/2" 10-13-17-18-19-16-21-22 mm  |  |
| 7805SM     | 1/2" 16-21 mm  |  |
| 8160-1/2   | 1/2" 1/2" 125 mm   |  |

|           |                   |  |
|-----------|-------------------|--|
| 8162-1/2  | 1/2" 1/2" 250 mm  |  |
| 8166-1/2  | 1/2" 1/2" 72 mm   |  |
| 8156-1/2  | 1/2" 1/2" 257 mm  |  |
| 7106S0080 | 1/2" 5/16"        |  |
| 6973      | 1/4" 1/4"         |  |
| 70S       | 5/16" T45-T50-T55 |  |

# GENERAL MAINTENANCE STORAGE HUB

E72 - ORANGE - 1472K6FF1SD

## BAHCO 26" 6-drawer NEXT GENERATION Tool Trolley, 147 tools included


- Specially made for heavy duty performance
- Personalize by adding different accessories\*
- Innovative safety features

STORAGE  
DEAL

\*accessories not included.



### FF1A178 - x93



26" [543 x 445 mm]

|          |  |  |
|----------|--|--|
| 6700SM   | 1/4" 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm                 |  |
| A6800DM  | 1/4" 7-8-9-10-11-13 mm                                     |  |
| 6956     | 1/4" 1/4" 150 mm   |  |
| 6961     | 1/4" 1/4" 100 mm   |  |
| 6966     | 1/4" 1/4" 35 mm  |  |
| 7800SM   | 1/2" 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm |  |
| 7805DM   | 1/2" 10-13-17-18-19-16-21-22 mm                            |  |
| 7805SM   | 1/2" 16-21 mm  |  |
| 8160-1/2 | 1/2" 1/2" 125 mm   |  |
| 8162-1/2 | 1/2" 1/2" 250 mm   |  |

|           |   |  |
|-----------|---|--|
| 8166-1/2  | 1/2" 1/2" 72 mm   |  |
| 8156-1/2  | 1/2" 1/2" 257 mm  |  |
| 7106S0080 | 1/2" 5/16"  |  |
| 6973      | 1/4" 1/4"   |  |
| 70S       | 5/16" T45-T50-T55   |  |
| 2058-BR   | 1/4", 8 mm  |  |
| 59/S31B-T | 1/4": PZ1, PZ2 (x3), PZ3; PH1, PH2 (x3), PH3, PH2G (x2); T10, T15 (x3), T20 (x3), T25 (x2), T27, T30; SL: 3, 4.5, 5.5 mm; HEX: 3, 4, 5, 6; KM653-QR |  |
| 6950SL    | 1/4" 1/4" 120 mm  |  |
| 8150SL    | 1/2" 1/2" 265 mm  |  |

### FF1A75 - x24



26" [543 x 445 mm]

|           |                              |  |
|-----------|------------------------------|--|
| BE-9770-B | 1.5-2-2.5-3-4-5-6-8-10 mm    |  |
| BE-8030   | 3.5x0.6x75                   |  |
| BE-8150   | 5.5x1.0x100                  |  |
| BE-8611   | PH1x75                       |  |
| BE-8621   | PH2x125                      |  |
| BE-8811   | PZ1x75                       |  |
| BE-8821   | PZ2x100                      |  |
| 111M      | 8-10-12-13-14-15-16-17-19 mm |  |

### FF1A76 - x30



26" [543 x 445 mm]

|                  |                        |  |
|------------------|------------------------|--|
| 3734S/6-T        | 2-3-4-5-6-8 mm; 150 mm |  |
| 481-400          | 400 g                  |  |
| KB18-01          | 18x161 mm              |  |
| KSBG18-10 DISPEN | 18 mm, x10             |  |
| 317-3906         | 432 mm                 |  |
| 3906-300-24-10P  | 24; 300 mm, x10        |  |



# GENERAL MAINTENANCE STORAGE HUB

E72 - BLACK - 1472K6BKFF12SD

## BAHCO 26" 6-drawer NEXT GENERATION Tool Trolley, 247 tools included

- Specially made for heavy duty performance
- Personalize by adding different accessories\*
- Innovative safety features

**STORAGE  
DEAL**

\*accessories not included.

### FF1A112 - x24



26" [543 x 445 mm]

|                |   |  |
|----------------|---|--|
| <b>S4RM/3T</b> | 8-9-10-11 mm<br>12-13-14-15 mm<br>16-17-18-19 mm        |  |
| <b>111M</b>    | 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27 mm |  |
| <b>9070</b>    | 20 mm; 158 mm   |  |
| <b>9031</b>    | 39 mm; 218 mm   |  |

### FF1A183 - x159



26" [543 x 445 mm]

|                 |  |  |
|-----------------|--|--|
| <b>59/S100B</b> | 1/4": 4-5-5.5; PH1(x2)-PH2(x9)-PH3-PH2G(x5); PZ1(x2)-P22(x9)-PZ3-T10(x3)-T15(x5)-T20(x15)-T25(x8)-T27-T30(x15)-T40(x3)-TR10-TR15-TR20-TR25-TR30; HEX3-HEX4(x3)-HEX5-HEX6(x3)-HEX8; R1-R2 |  |
| <b>6950SL</b>   | 1/4"; 120 mm   |  |
| <b>8150SL</b>   | 1/2"; 265 mm   |  |
| <b>6700SM</b>   | 1/4"; 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm  |  |
| <b>A6800DM</b>  | 1/4"; 7-8-9-10-11-13 mm  |  |
| <b>6956</b>     | 1/4"; 150 mm   |  |
| <b>6961</b>     | 1/4"; 100 mm   |  |
| <b>6966</b>     | 1/4"; 85 mm  |  |
| <b>7800SM</b>   | 1/2"; 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm  |  |
| <b>7805DM</b>   | 1/2"; 10-13-17-18-19-16-21-22 mm   |  |
| <b>7805SM</b>   | 1/2"; 16-21 mm   |  |
| <b>8160-1/2</b> | 1/2"; 125 mm   |  |

|                  |                    |  |
|------------------|--------------------|--|
| <b>8162-1/2</b>  | 1/2"; 250 mm       |  |
| <b>8166-1/2</b>  | 1/2"; 172 mm       |  |
| <b>8156-1/2</b>  | 1/2"; 257 mm       |  |
| <b>7106S0080</b> | 1/2"; 5/16"        |  |
| <b>6973</b>      | 1/4"; 1/4"         |  |
| <b>70S</b>       | 5/16"; T45-T50-T55 |  |

### FF1A113 - x35




26" [543 x 445 mm]

|                  |                           |  |
|------------------|---------------------------|--|
| <b>BE-9770-B</b> | 1.5-2-2.5-3-4-5-6-8-10 mm |  |
| <b>808050</b>    | 1/4"; 115 mm              |  |
| <b>BE-8150TB</b> | 5.5 x 1.0 x 100           |  |
| <b>BE-8155TB</b> | 6.5 x 1.2 x 125           |  |
| <b>BE-8256TB</b> | 8.0 x 1.6 x 150           |  |
| <b>BE-8610TB</b> | PH1 x 100                 |  |
| <b>BE-8620TB</b> | PH2 x 100                 |  |
| <b>BE-8040</b>   | 4.0 x 0.8 x 100           |  |
| <b>BE-8150</b>   | 5.5 x 1.0 x 100           |  |
| <b>BE-8010S</b>  | 0.4 x 2.5 x 75            |  |
| <b>BE-8230S</b>  | 0.6 x 3.5 x 100           |  |
| <b>BE-8155</b>   | 6.5 x 1.2 x 125           |  |
| <b>BE-8800</b>   | P20 x 60                  |  |
| <b>BE-8811</b>   | P21 x 75                  |  |
| <b>BE-8821</b>   | P22 x 100                 |  |

|                |           |  |
|----------------|-----------|--|
| <b>BE-8611</b> | PH1 x 75  |  |
| <b>BE-8621</b> | PH2 x 100 |  |
| <b>BE-8910</b> | T10 x 75  |  |
| <b>BE-8915</b> | T15 x 100 |  |
| <b>BE-8920</b> | T20 x 100 |  |
| <b>BE-8925</b> | T25 x 125 |  |

### FF1A114 - x18



26" [543 x 445 mm]

|                 |                |  |
|-----------------|----------------|--|
| <b>8224</b>     | 250 mm         |  |
| <b>2632</b>     | 170 mm         |  |
| <b>3734</b>     | 2-3-4-5-6-8 mm |  |
| <b>2800-180</b> | 180 mm         |  |
| <b>2890-180</b> | 180 mm         |  |
| <b>2900-180</b> | 180 mm         |  |
| <b>2990-180</b> | 180 mm         |  |

|                    |           |  |
|--------------------|-----------|--|
| <b>4611-2</b>      | M16; 8-24 |  |
| <b>479-24</b>      | 800 g     |  |
| <b>1435/5</b>      | M4 - M18  |  |
| <b>1178-SCRIBE</b> | 150 mm    |  |
| <b>2101G-180</b>   | 180 mm    |  |
| <b>2430 G-160</b>  | 160 mm    |  |

### FF1A115 - x11



26" [543 x 445 mm]

|                     |                       |  |
|---------------------|-----------------------|--|
| <b>1-210-08-1-2</b> | 100 mm                |  |
| <b>9045-B-250</b>   | 170 mm x 250 mm       |  |
| <b>406T-225</b>     | 225 mm                |  |
| <b>MTB-5-25</b>     | 5 m; 25 mm            |  |
| <b>BFLA01</b>       | 116 mm; 27 mm; 200 lm |  |
| <b>K-AP-1</b>       | 180 mm                |  |
| <b>268</b>          | 150 mm                |  |

|                 |                   |  |
|-----------------|-------------------|--|
| <b>319-3906</b> | 300 mm            |  |
| <b>5515T-52</b> | 180-690 mm; 30 mm |  |



**247  
TOOLS INCLUDED**



# 'CLASSIC' TOOL TROLLEY

C75 - BLACK - 1475KXL6CBKFF2S

## BAHCO 40" 6-drawer 'CLASSIC' Tool Trolley, 191 tools included

- Traditional design with new innovative features
- Strong and reliable for heavy duty performance
- Personalize by adding large range of accessories\*

**STORAGE  
DEAL**

\*accessories not included.

### FF1A66 -x51



26" [543 x 445 mm]

|             |  |  |           |               |  |
|-------------|--|--|-----------|---------------|--|
| 38055100    | ⌀ 5.5x100  |  | BE-8010S  | ⌀ 0.4x2.5x75  |  |
| 38065125    | ⌀ 6.5x125  |  | BE-8040   | ⌀ 4.0x0.8x100 |  |
| 38080150    | ⌀ 8.0x150  |  | BE-8150   | ⌀ 5.5x1.0x100 |  |
| 39001100    | ⊕ PH1 x1100  |  | BE-8155   | ⌀ 6.5x1.2x125 |  |
| 39002125    | ⊕ PH2 x125   |  | BE-8230S  | ⌀ 0.6x3.5x100 |  |
| 1178-SCRIBE | ⊕ 150 mm   |  | BE-8800   | ⊕ P20x60      |  |
| 426TOR9     | 0.029" = 0.5 mm/m; ⊕ 230 mm  |  | BE-8811   | ⊕ P21x75      |  |
| 59S/31-1    | ● 1/4" PH1-PH2-PH3-PH2G;<br>T25-T15-T20-T10-T27-T30;<br>H3-H4-H5-H6; P21-P22-P23;<br>0.8x5.5-0.6x4.5-0.5x3.0; KM653-QR |  | BE-8821   | ⊕ P22x100     |  |
| 6972H       | ⊙ 1/4" ⊙ 1/4"  |  | BE-8830   | ⊕ P23x150     |  |
| 9045-B-250  | 170 mmx250 mm  |  | MTB-5-25  | 5 m; ⊕ 25 mm  |  |
|             |  |  | SQZ150003 | ⊕ 170 mm      |  |

### FF1A67 -x31



26" [543 x 445 mm]

|            |                   |  |         |                         |  |
|------------|-------------------|--|---------|-------------------------|--|
| 9031       | ⊕ 39 mm; ⊕ 218 mm |  | BE-8630 | ⊕ PH3x150               |  |
| 9070       | ⊕ 20 mm; ⊕ 158 mm |  | BE-8910 | ⊕ T10x75                |  |
| 9072       | ⊕ 31 mm; ⊕ 257 mm |  | BE-8915 | ⊕ T15x100               |  |
| 2101G-160  | ⊕ 160 mm          |  | BE-8920 | ⊕ T20x100               |  |
| 21HDG-180  | ⊕ 180 mm          |  | BE-8925 | ⊕ T25x125               |  |
| 2427 G-160 | ⊕ 160 mm          |  | 7865    | ⊕ 1/2"                  |  |
| 2430 G-160 | ⊕ 160 mm          |  | 7865    | ⊕ 5/16" ⊕ 1/2"          |  |
| 8224       | ⊕ 250 mm          |  | 7865    | ⊕ 5/16": 5, 6, 8, 10 mm |  |
| BE-8600    | ⊕ PH0x60          |  | 7865    | ⊕ 5/16": 1, 2, 3, 4 mm  |  |
| BE-8611    | ⊕ PH1x75          |  | 7865    | ⊕ 5/16": 4, 5, 6, 8 mm  |  |
| BE-8621    | ⊕ PH2x100         |  | 7865    | ⊕ 5/16" ⊕ 3/8"          |  |

### FF1A68 -x29



26" [543 x 445 mm]

|              |          |  |            |                             |  |
|--------------|----------|--|------------|-----------------------------|--|
| 1-100-08-1-2 | ⊕ 200 mm |  | 2990-180   | ⊕ 180 mm                    |  |
| 1-170-08-1-2 | ⊕ 200 mm |  | 3733       | ⊕ 2-4-6 mm                  |  |
| 1-210-08-1-2 | ⊕ 100 mm |  | 3734       | ⊕ 2-3-4-6-8 mm              |  |
| 1-230-08-1-2 | ⊕ 200 mm |  | 3735-4-120 | ⊕ 4 mm; ⊕ 120 mm            |  |
| 4-144-08-2-2 | ⊕ 200 mm |  | 481-400    | ⊕ 400 g                     |  |
| 2800-180     | ⊕ 180 mm |  | BE-9770    | ⊕ 1.5-2-2.5-3-4-5-6-8-10 mm |  |
| 2890-180     | ⊕ 180 mm |  |            |                             |  |
| 2900-180     | ⊕ 180 mm |  |            |                             |  |

### FF1A184 -x51



26" [543 x 445 mm]

|          |   |  |              |                          |  |
|----------|---|--|--------------|--------------------------|--|
| 6968     | ⊕ 1/4" ⊕ 1/4" - ⊕ 34 mm                                   |  | 8150SL       | ⊕ 1/2" ⊕ 1/2" - ⊕ 265 mm |  |
| 6700SM   | ⊕ 1/4" ⊕ 4-5-6-7-8-9-10-11-12-13-14 mm                    |  | 8160-1/2     | ⊕ 1/2" ⊕ 1/2" - ⊕ 125 mm |  |
| 6709M    | ⊕ 1/4" - 3-4-5-6-8 mm                                     |  | 8162-1/2     | ⊕ 1/2" ⊕ 1/2" - ⊕ 250 mm |  |
| 6950SL   | ⊕ 1/4" ⊕ 1/4" - ⊕ 120 mm                                  |  | 8168         | ⊕ 1/2" ⊕ 1/2" - ⊕ 162 mm |  |
| 6960-W   | ⊕ 1/4" ⊕ 1/4" - ⊕ 150 mm                                  |  | K6650-1/4-1P | ⊕ 1/4" ⊕ 1/4"            |  |
| 6962-W   | ⊕ 1/4" ⊕ 1/4" - ⊕ 150 mm                                  |  |              |                          |  |
| 7800SM   | ⊕ 1/2" ⊕ 8-9-10-11-12-13-14-15-16-17-18-19-21-22-23-24 mm |  |              |                          |  |
| 7809M    | ⊕ 1/2" - 5-6-7-8-10 mm                                    |  |              |                          |  |
| 7809TORX | ⊕ 1/2" - T20-T25-T30-T40                                  |  |              |                          |  |
| 7445-200 | ⊕ 1/4" - 40-20 Nm   |  |              |                          |  |

### FF1A65 -x29



26" [543 x 445 mm]

|          |  |  |
|----------|--|--|
| 111M     | 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24 mm |  |
| 1RM      | 8-9-10-11-12-13-14-17-19 mm                          |  |
| 319-3906 | ⊕ 300 mm   |  |





# GENERAL MAINTENANCE STORAGE HUB

E77 - ORANGE - 1477K6FF7SD

## BAHCO 26" 6-drawer NEXT GENERATION Tool Trolley, 205 tools included

- Specially made for heavy duty performance
- Modular system for adding a large range of accessories\*
- Innovative safety features

STORAGE  
DEAL

\*accessories not included.



### FF1A81 -x31



26" [543 x 445 mm]

|              |  |  |
|--------------|--|--|
| B191.040.100 | 4.0x0.8x100                                    |  |
| B190.055.125 | 5.5x1.2x125                                    |  |
| B190.065.150 | 6.5x1x150                                      |  |
| B192.000.075 | PH0x75   |  |
| B192.001.100 | PH1x100  |  |
| B192.002.125 | PH2x125  |  |
| 111M         | 6-7-8-9-10-11-12-13-14-15-16-17-19-21-22-24 mm |  |
| BE-9770-B    | 1.5-2-2.5-3-4-5-6-8-10 mm                      |  |

### FF1A82 -x16




26" [543 x 445 mm]

|                  |                        |  |
|------------------|------------------------|--|
| 3734S/6-T        | 2-3-4-5-6-8 mm; 150 mm |  |
| 479-16           | 450 g                  |  |
| 3625W-35         | 35 mm                  |  |
| MTG-3-16         | 3 m; 16 mm             |  |
| KB18-01          | 18x161 mm              |  |
| KSBG18-10 DISPEN | 18 mm, x10             |  |

|           |                  |  |
|-----------|------------------|--|
| 2101G180  | 180 mm           |  |
| 2678G-180 | 2.0; 1.4; 180 mm |  |
| 2470G-200 | 200 mm           |  |
| 2530      | 350 mm           |  |
| 8224      | 250 mm           |  |

### FF1A179 -x158



26" [543 x 445 mm]

|            |  |  |
|------------|--|--|
| 2058-BR    | 1/4", 8 mm   |  |
| 59/S100B-T | 1/4"; 4.5-5.5; PH1(x2)-PH2(x9)-PH3-PH2G(x5); PZ1(x2)-PZ2(x9)-PZ3-T10(x3)-T15(x5)-T20(x15)-T25(x8)-T27-T30(x15)-T40(x3)-TR10-TR15-TR20-TR25-TR30; HEX3-HEX4(x3)-HEX5-HEX6(x3)-HEX8; R1-R2 |  |
| 6950SL     | 1/4"; 1/4"; 120 mm   |  |
| 8150SL     | 1/2"; 1/2"; 265 mm   |  |
| 6700SM     | 1/4"; 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm  |  |
| A6800DM    | 1/4"; 7-8-9-10-11-13 mm  |  |
| 6956       | 1/4"; 1/4"; 150 mm   |  |
| 6961       | 1/4"; 1/4"; 100 mm   |  |
| 6966       | 1/4"; 1/4"; 35 mm  |  |
| 7800SM     | 1/2"; 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm  |  |
| 7805DM     | 1/2"; 10-13-17-18-19-16-21-22 mm   |  |
| 7805SM     | 1/2"; 16-21 mm   |  |
| 8160-1/2   | 1/2"; 1/2"; 125 mm   |  |

|           |                    |  |
|-----------|--------------------|--|
| 8162-1/2  | 1/2"; 1/2"; 250 mm |  |
| 8166-1/2  | 1/2"; 1/2"; 72 mm  |  |
| 8156-1/2  | 1/2"; 1/2"; 257 mm |  |
| 7106S0080 | 1/2"; 5/16"        |  |
| 6973      | 1/4"; 1/4"         |  |
| 70S       | 5/16"; 145-T50-T55 |  |

# GENERAL MAINTENANCE STORAGE HUB

E77 - ORANGE - 1477K6FF15SD

## BAHCO 26" 6-drawer NEXT GENERATION Tool Trolley, 216 tools included

- Specially made for heavy duty performance
- Modular system for adding a large range of accessories\*
- Innovative safety features

STORAGE  
DEAL

\*accessories not included.




### FF1A124 -x25



26" [543 x 445 mm]

|              |   |  |
|--------------|---|--|
| 111M         | 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-32 mm |  |
| B190.055.125 | 5.5x1.2x125   |  |
| B190.065.150 | 6.5x1x150   |  |
| B191.040.100 | 4.0x0.8x100   |  |
| B192.000.075 | PH0x75  |  |
| B192.001.100 | PH1x100   |  |
| B192.002.125 | PH2x125   |  |

### FF1A125 -x31



26" [543 x 445 mm]

|                  |                           |  |
|------------------|---------------------------|--|
| 2101G-180        | 180 mm                    |  |
| 2628 G-180       | 180 mm                    |  |
| 3734S/6-T        | 2-3-4-5-6-8 mm; 150 mm    |  |
| 481-300          | 300 g                     |  |
| 8224             | 250 mm                    |  |
| BE-9770-B        | 1.5-2-2.5-3-4-5-6-8-10 mm |  |
| KB18-01          | 18x161 mm                 |  |
| KSBG18-10 DISPEN | 18x161 mm, x10            |  |
| MTG-3-16         | 3 m; 16 mm                |  |

### FF1A180 -x160



26" [543 x 445 mm]

|            |  |  |
|------------|--|--|
| 2058-BR    | 1/4", 8 mm   |  |
| 59/S100B-T | 1/4"; 4.5-5.5; PH1(x2)-PH2(x9)-PH3-PH2G(x5); PZ1(x2)-PZ2(x9)-PZ3-T10(x3)-T15(x5)-T20(x15)-T25(x8)-T27-T30(x15)-T40(x3)-TR10-TR15-TR20-TR25-TR30; HEX3-HEX4(x3)-HEX5-HEX6(x3)-HEX8; R1-R2 |  |
| 6950       | 1/4"; 1/4"; 120 mm   |  |
| 8150-1/2   | 1/2"; 1/2"; 270 mm   |  |
| 6700SM     | 1/4"; 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm  |  |
| A6800DM    | 1/4"; 7-8-9-10-11-13 mm  |  |
| 6956       | 1/4"; 1/4"; 150 mm   |  |
| 6961       | 1/4"; 1/4"; 100 mm   |  |
| 6966       | 1/4"; 1/4"; 35 mm  |  |
| 7800SM     | 1/2"; 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm  |  |
| 7805DM     | 1/2"; 10-13-17-18-19-16-21-22 mm   |  |

|           |                    |  |
|-----------|--------------------|--|
| 7805SM    | 1/2"; 16-21 mm     |  |
| 8160-1/2  | 1/2"; 1/2"; 125 mm |  |
| 8162-1/2  | 1/2"; 1/2"; 250 mm |  |
| 8166-1/2  | 1/2"; 1/2"; 72 mm  |  |
| 8156-1/2  | 1/2"; 1/2"; 257 mm |  |
| 7106S0080 | 1/2"; 5/16"        |  |
| 6973      | 1/4"; 1/4"         |  |
| 70S       | 5/16"; 145-T50-T55 |  |



# STORAGE HUB

E77 - ORANGE - 1477K7FF21SD

## BAHCO 26" 7-drawer NEXT GENERATION Tool Trolley, 417 tools included


- Specially made for heavy duty performance
- Modular system for adding a large range of accessories\*
- Innovative safety features



**STORAGE DEAL**

\*accessories not included.

### FF1A153 -x94



26" [543 x 445 mm]

|       |  |       |  |
|-------|--|-------|--|
| S87+7 | 1/4" 4-4.5-5-5.5-6-7-8-9-10-11-12-13 mm                            | S87+7 | 1/4" 1/4" - 135 mm                     |
| S87+7 | 1/4" 4-5-6-7-8-9-10-11-13 mm                                       | S87+7 | 1/4" 1/4" - 150 mm                     |
| S87+7 | 1/2" 10-12-13-14-15-16-17-18-20-21-23-24-27-32-34 mm               | S87+7 | 1/2" 1/2" - 125 mm                     |
| S87+7 | 1/2" 3/8", 7/16", 1/2", 9/16", 11/16", 3/4", 13/16", 7/8", 1-3/16" | S87+7 | 1/2" 1/2" - 250 mm                     |
| S87+7 | 1/2" 17-19-21-24 mm  | S87+7 | 1/2" 1/2" - 72 mm                      |
| S87+7 | 1/2" 17-19-21-24 mm  | S87+7 | 1/2" 21 mm (13/16")                    |
| S87+7 | 1/4" PH1-PH2-PH3-PH4   | S87+7 | 1/2" 1/2" - 390 mm                     |
| S87+7 | 1/4" 4-5-5-7 mm  | S87+7 | 1.5-2-2.5 mm                           |
| S87+7 | 1/4" 3-4-5-6-8-10 mm   | S87+7 | 1/4" 1/4" - 120 mm                     |
| S87+7 | 1/4" 1/4" - 150 mm   | S87+7 | 1/2" 1270 mm                           |
| S87+7 | 1/4" 1/4" - 150 mm   | S87+7 | 8-9, 10-11, 12-13, 14-15 mm            |
| S87+7 | 1/4" 1/4" - 150 mm   | S87+7 | 7-8-9-10-11-12-13-14-15-16-17-18-19 mm |
| S87+7 | 1/4" 1/4" - 100 mm   |       |  |

### FF1A164 -x50



26" [543 x 445 mm]

|         |  |      |                      |
|---------|--|------|----------------------|
| 1RM     | 8-10-11-12-13-14-15-16-17-18-19 mm                     | S330 | 5/16"                |
| 2058-BR | 1/4", 8 mm   | S330 | 5/8" 3/8"            |
| S20     | 21-24-27-32 mm   | S330 | 13/16" 3/8"          |
| S330    | 3/8" 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22 mm | S330 | 1/4"                 |
| S330    | 3/8" 3/8" - 220 mm                                     | S330 | 1/4" x 1/4"          |
| S330    | 3/8" 3/8" - 175 mm                                     | S330 | 1/4" 4-5-5-7 mm      |
| S330    | 3/8" 3/8" - 150 mm                                     | S330 | 1/4" PH1-PH2-PH3-PH4 |
| S330    | 3/8" 3/8" - 151.5 mm                                   | S330 | 1/4" 3-4-5-6-7-8 mm  |

### FF1A166 -x22



26" [543 x 445 mm]

|             |             |         |             |
|-------------|-------------|---------|-------------|
| 2530        | 350 mm      | BE-8705 | 5.0x100     |
| 9715-14-250 | 2.5x14x250  | BE-8706 | 6.0x125     |
| BE-3529     | 175 mm      | BE-8708 | 8.0x150     |
| BE-8010     | 2.5x0.4x60  | BE-8811 | P21x75      |
| BE-8030     | 3.5x0.6x75  | BE-8821 | P22x100     |
| BE-8150TB   | 5.5x1.0x100 | BE-8910 | T10x75      |
| BE-8256TB   | 8.0x1.6x150 | BE-8915 | T15x100     |
| BE-8602     | PH2x25      | BE-8920 | T20x100     |
| BE-8611     | PH1x75      | BE-8925 | T25x125     |
| BE-8621     | PH2x125     | BE-8930 | T30x150     |
| BE-8703     | 3.0x100     | BE-8986 | 6 mm; 50 mm |
| BE-8704     | 4.0x100     |         |             |

### FF1A169 -x13



26" [543 x 445 mm]

|            |                |  |  |
|------------|----------------|--|--|
| 2681       | 285 mm         |  |  |
| 3625W-28   | 28 mm          |  |  |
| 3733-4     | 4 mm           |  |  |
| 3734       | 3-4-6 mm       |  |  |
| 3735-5-120 | 5 mm; 120 mm   |  |  |
| 481-400    | 400 g          |  |  |
| BB10       | 350 mm         |  |  |
| BE66152    | 150 mm; 225 mm |  |  |
| BT10P330   | 300 mm         |  |  |
| MA321      | 260 mm         |  |  |
| MTB-3-16   | 3 m; 16 mm     |  |  |

### FF1A168 -x39



26" [543 x 445 mm]

|              |                         |  |  |
|--------------|-------------------------|--|--|
| 1-100-08-2-2 | 200 mm                  |  |  |
| 1-210-08-2-2 | 200 mm                  |  |  |
| 1-230-08-2-2 | 200 mm                  |  |  |
| 2485         | 240 mm                  |  |  |
| 2487         | 210 mm                  |  |  |
| 319-3906     | 300 mm                  |  |  |
| 268          | 150 mm                  |  |  |
| 3740-100     | 100 mm; 15 mm; 14x9 mm  |  |  |
| 3740-150     | 150 mm; 18 mm; 17x11 mm |  |  |
| 5515T-52     | 30 mm; 180-690 mm       |  |  |
| 782-U        | 290 mm                  |  |  |

### FF1A167 -x22



26" [543 x 445 mm]

|              |        |  |  |
|--------------|--------|--|--|
| 1178-SCRIBE  | 150 mm |  |  |
| 1419-MD      | 150 mm |  |  |
| 21016-160    | 160 mm |  |  |
| 2430 G-190HD | 190 mm |  |  |
| 2628 G-180   | 180 mm |  |  |
| 2744         | 190 mm |  |  |
| 2953-250     | 250 mm |  |  |
| 8224         | 250 mm |  |  |

### FF1A165 -x177



26" [543 x 445 mm]

|          |   |  |  |
|----------|---|--|--|
| 59/S100B | 1/4": 4.5-5.5; PH1(x2)-PH2(x9)-PH3-PH26(x5); PZ1(x2)-PZ2(x9)-PZ3-T10(x3)-T15(x5)-T20(x15)-T25(x8)-T27-T30(x15)-T40(x3)-TR10-TR15-TR20-TR25-TR30; HEX3-HEX4(x3)-HEX5-HEX6(x3)-HEX8-R1-R2                       |  |  |
| BE5049   | 1/2-1/2"; 1/2-3/8"; T30-40-45-70-80 100 mm; HEX4-5-6-7-8-10-12-30 mm; XZN M-5-6-8-10-12-30 mm; T20-25-27-30-40-45-50 30 mm; HEX4-5-6-7-8-10-12-75 mm; XZN M-5-6-8-10-12-75 mm; T20-25-27-30-40-45-55-60 75 mm |  |  |
| S1214L   | 3/8"; A74020M-6-7-8-9-10-11-12-13-14-15-16-17-18-19 mm  |  |  |
| S1612L   | 1/2"; 7805DM-10-11-12-13-14-15-16-17-18-19-20-21 mm   |  |  |
| SBS71-16 | 3/8"; 16 mm   |  |  |
| SBS87    | 1/2"; 1/2" - 390 mm   |  |  |

|                  |                       |  |  |
|------------------|-----------------------|--|--|
| 7865             | 1/2"                  |  |  |
| 7865             | 5/16" 1/2"            |  |  |
| 7865             | 5/16"; 5, 6, 8, 10 mm |  |  |
| 7865             | 5/16"; 1, 2, 3, 4 mm  |  |  |
| 7865             | 5/16"; 4, 5, 6, 8 mm  |  |  |
| 7865             | 5/16" 3/8"            |  |  |
| KB18-01          | 18x161 mm             |  |  |
| KSBG18-10 DISPEN | 18 mm, x10            |  |  |

|            |                           |  |  |
|------------|---------------------------|--|--|
| 9031       | 39 mm; 218 mm             |  |  |
| BE-9770    | 1.5-2-2.5-3-4-5-6-8-10 mm |  |  |
| BWSS12P317 | 1/2" 17 mm                |  |  |
| BWSS12P319 | 1/2" 19 mm                |  |  |
| BWSS12P321 | 1/2" 21 mm                |  |  |
| CR B 02    | 220 mm; 0.75-6.00         |  |  |



# STORAGE HUB

E77 - ORANGE - 1477K7FF12SD

## BAHCO 26" 7-drawer NEXT GENERATION Tool Trolley, 247 tools included

- Specially made for heavy duty performance
- Modular system for adding a large range of accessories\*
- Innovative safety features

**STORAGE  
DEAL**

\*accessories not included.

### FF1A112 - x24



26" [543 x 445 mm]

|                |   |  |
|----------------|---|--|
| <b>S4RM/3T</b> | 8-9-10-11 mm<br>12-13-14-15 mm<br>16-17-18-19 mm        |  |
| <b>111M</b>    | 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27 mm |  |
| <b>9070</b>    | 20 mm; 158 mm   |  |
| <b>9031</b>    | 39 mm; 218 mm   |  |

### FF1A183 - x159



26" [543 x 445 mm]

|                 |  |  |
|-----------------|--|--|
| <b>59/S100B</b> | 1/4": 4-5-5.5; PH1(x2)-PH2(x9)-PH3-PH2G(x5); PZ1(x2)-PZ2(x9)-PZ3-T10(x3)-T15(x5)-T20(x15)-T25(x8)-T27-T30(x15)-T40(x3)-TR10-TR15-TR20-TR25-TR30; HEX3-HEX4(x3)-HEX5-HEX6(x3)-HEX8; R1-R2 |  |
| <b>6950SL</b>   | 1/4"; 1/4"; 120 mm   |  |
| <b>8150SL</b>   | 1/2"; 1/2"; 265 mm   |  |
| <b>6700SM</b>   | 1/4"; 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm  |  |
| <b>A6800DM</b>  | 1/4"; 7-8-9-10-11-13 mm  |  |
| <b>6956</b>     | 1/4"; 1/4"; 150 mm   |  |
| <b>6961</b>     | 1/4"; 1/4"; 100 mm   |  |
| <b>6966</b>     | 1/4"; 1/4"; 85 mm  |  |
| <b>7800SM</b>   | 1/2"; 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm  |  |
| <b>7805DM</b>   | 1/2"; 10-13-17-18-19-16-21-22 mm   |  |
| <b>7805SM</b>   | 1/2"; 16-21 mm   |  |
| <b>8160-1/2</b> | 1/2"; 1/2"; 125 mm   |  |

|                  |                    |  |
|------------------|--------------------|--|
| <b>8162-1/2</b>  | 1/2"; 1/2"; 250 mm |  |
| <b>8166-1/2</b>  | 1/2"; 1/2"; 172 mm |  |
| <b>8156-1/2</b>  | 1/2"; 1/2"; 257 mm |  |
| <b>7106S0080</b> | 1/2"; 5/16"        |  |
| <b>6973</b>      | 1/4"; 1/4"         |  |
| <b>70S</b>       | 5/16"; T45-T50-T55 |  |

### FF1A113 - x35




26" [543 x 445 mm]

|                  |                           |  |
|------------------|---------------------------|--|
| <b>BE-9770-B</b> | 1.5-2-2.5-3-4-5-6-8-10 mm |  |
| <b>808050</b>    | 1/4"; 115 mm              |  |
| <b>BE-8150TB</b> | 5.5x1.0x100               |  |
| <b>BE-8155TB</b> | 6.5x1.2x125               |  |
| <b>BE-8256TB</b> | 8.0x1.6x150               |  |
| <b>BE-8610TB</b> | PH1 x 100                 |  |
| <b>BE-8620TB</b> | PH2 x 100                 |  |
| <b>BE-8040</b>   | 4.0x0.8x100               |  |
| <b>BE-8150</b>   | 5.5x1.0x100               |  |
| <b>BE-8010S</b>  | 0.4x2.5x75                |  |
| <b>BE-8230S</b>  | 0.6x3.5x100               |  |
| <b>BE-8155</b>   | 6.5x1.2x125               |  |
| <b>BE-8800</b>   | PZ0x60                    |  |
| <b>BE-8811</b>   | PZ1 x 75                  |  |
| <b>BE-8821</b>   | PZ2 x 100                 |  |

|                |           |  |
|----------------|-----------|--|
| <b>BE-8611</b> | PH1 x 75  |  |
| <b>BE-8621</b> | PH2 x 100 |  |
| <b>BE-8910</b> | T10 x 75  |  |
| <b>BE-8915</b> | T15 x 100 |  |
| <b>BE-8920</b> | T20 x 100 |  |
| <b>BE-8925</b> | T25 x 125 |  |

### FF1A114 - x18



26" [543 x 445 mm]

|                 |                |  |
|-----------------|----------------|--|
| <b>8224</b>     | 250 mm         |  |
| <b>2632</b>     | 170 mm         |  |
| <b>3734</b>     | 2-3-4-5-6-8 mm |  |
| <b>2800-180</b> | 180 mm         |  |
| <b>2890-180</b> | 180 mm         |  |
| <b>2900-180</b> | 180 mm         |  |
| <b>2990-180</b> | 180 mm         |  |

|                    |           |  |
|--------------------|-----------|--|
| <b>4611-2</b>      | M16; 8-24 |  |
| <b>479-24</b>      | 800 g     |  |
| <b>1435/5</b>      | M4 - M18  |  |
| <b>1178-SCRIBE</b> | 150 mm    |  |
| <b>2101G-180</b>   | 180 mm    |  |
| <b>2430 G-160</b>  | 160 mm    |  |

### FF1A115 - x11



26" [543 x 445 mm]

|                     |                       |  |
|---------------------|-----------------------|--|
| <b>1-210-08-1-2</b> | 100 mm                |  |
| <b>9045-B-250</b>   | 170 mm x 250 mm       |  |
| <b>406T-225</b>     | 225 mm                |  |
| <b>MTB-5-25</b>     | 5 m; 25 mm            |  |
| <b>BFLA01</b>       | 116 mm; 27 mm; 200 lm |  |
| <b>K-AP-1</b>       | 180 mm                |  |
| <b>268</b>          | 150 mm                |  |

|                 |                   |  |
|-----------------|-------------------|--|
| <b>319-3906</b> | 300 mm            |  |
| <b>5515T-52</b> | 180-690 mm; 30 mm |  |





# GENERAL MAINTENANCE STORAGE HUB

E77 - BLACK - 1477K6BKFF7SD

## BAHCO 26" 6-drawer NEXT GENERATION Tool Trolley, 205 tools included

- Specially made for heavy duty performance
- Modular system for adding a large range of accessories\*
- Innovative safety features

**STORAGE  
DEAL**

\*accessories not included.



### FF1A81 -x31



26" [543 x 445 mm]

|              |  |  |
|--------------|--|--|
| B191.040.100 | 4.0x0.8x100                                    |  |
| B190.055.125 | 5.5x1.2x125                                    |  |
| B190.065.150 | 6.5x1x150                                      |  |
| B192.000.075 | PH0x75   |  |
| B192.001.100 | PH1x100  |  |
| B192.002.125 | PH2x125  |  |
| 111M         | 6-7-8-9-10-11-12-13-14-15-16-17-19-21-22-24 mm |  |
| BE-9770-B    | 1.5-2-2.5-3-4-5-6-8-10 mm                      |  |

### FF1A82 -x16




26" [543 x 445 mm]

|                  |                        |  |
|------------------|------------------------|--|
| 3734S/6-T        | 2-3-4-5-6-8 mm; 150 mm |  |
| 479-16           | 450 g                  |  |
| 3625W-35         | 35 mm                  |  |
| MTG-3-16         | 3 m; 16 mm             |  |
| KB18-01          | 18x161 mm              |  |
| KSBG18-10 DISPEN | 18 mm, x10             |  |

|           |                  |  |
|-----------|------------------|--|
| 2101G180  | 180 mm           |  |
| 2678G-180 | 2.0; 1.4; 180 mm |  |
| 2470G-200 | 200 mm           |  |
| 2530      | 350 mm           |  |
| 8224      | 250 mm           |  |

### FF1A179 -x158



26" [543 x 445 mm]

|            |  |  |
|------------|--|--|
| 2058-BR    | 1/4", 8 mm   |  |
| 59/S100B-T | 1/4"; 4.5-5.5; PH1(x2)-PH2(x9)-PH3-PH2G(x5); PZ1(x2)-PZ2(x9)-PZ3-T10(x3)-T15(x5)-T20(x15)-T25(x8)-T27-T30(x15)-T40(x3)-TR10-TR15-TR20-TR25-TR30; HEX3-HEX4(x3)-HEX5-HEX6(x3)-HEX8; R1-R2 |  |
| 6950SL     | 1/4"; 1/4"; 120 mm   |  |
| 8150SL     | 1/2"; 1/2"; 265 mm   |  |
| 6700SM     | 1/4"; 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm  |  |
| A6800DM    | 1/4"; 7-8-9-10-11-13 mm  |  |
| 6956       | 1/4"; 1/4"; 150 mm   |  |
| 6961       | 1/4"; 1/4"; 100 mm   |  |
| 6966       | 1/4"; 1/4"; 35 mm  |  |
| 7800SM     | 1/2"; 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm  |  |
| 7805DM     | 1/2"; 10-13-17-18-19-16-21-22 mm   |  |
| 7805SM     | 1/2"; 16-21 mm   |  |
| 8160-1/2   | 1/2"; 1/2"; 125 mm   |  |

|           |                    |  |
|-----------|--------------------|--|
| 8162-1/2  | 1/2"; 1/2"; 250 mm |  |
| 8166-1/2  | 1/2"; 1/2"; 72 mm  |  |
| 8156-1/2  | 1/2"; 1/2"; 257 mm |  |
| 7106S0080 | 1/2"; 5/16"        |  |
| 6973      | 1/4"; 1/4"         |  |
| 70S       | 5/16"; 145-T50-T55 |  |

# GENERAL MAINTENANCE STORAGE HUB

E77 - BLACK - 1477K6BKFF15SD

## BAHCO 26" 6-drawer NEXT GENERATION Tool Trolley, 216 tools included

- Specially made for heavy duty performance
- Modular system for adding a large range of accessories\*
- Innovative safety features

**STORAGE  
DEAL**

\*accessories not included.




### FF1A124 -x25



26" [543 x 445 mm]

|              |   |  |
|--------------|---|--|
| 111M         | 6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22-24-27-32 mm |  |
| B190.055.125 | 5.5x1.2x125   |  |
| B190.065.150 | 6.5x1x150   |  |
| B191.040.100 | 4.0x0.8x100   |  |
| B192.000.075 | PH0x75  |  |
| B192.001.100 | PH1x100   |  |
| B192.002.125 | PH2x125   |  |

### FF1A125 -x31



26" [543 x 445 mm]

|                  |                           |  |
|------------------|---------------------------|--|
| 2101G-180        | 180 mm                    |  |
| 2628 G-180       | 180 mm                    |  |
| 3734S/6-T        | 2-3-4-5-6-8 mm; 150 mm    |  |
| 481-300          | 300 g                     |  |
| 8224             | 250 mm                    |  |
| BE-9770-B        | 1.5-2-2.5-3-4-5-6-8-10 mm |  |
| KB18-01          | 18x161 mm                 |  |
| KSBG18-10 DISPEN | 18x161 mm, x10            |  |
| MTG-3-16         | 3 m; 16 mm                |  |

### FF1A180 -x160



26" [543 x 445 mm]

|            |  |  |
|------------|--|--|
| 2058-BR    | 1/4", 8 mm   |  |
| 59/S100B-T | 1/4"; 4.5-5.5; PH1(x2)-PH2(x9)-PH3-PH2G(x5); PZ1(x2)-PZ2(x9)-PZ3-T10(x3)-T15(x5)-T20(x15)-T25(x8)-T27-T30(x15)-T40(x3)-TR10-TR15-TR20-TR25-TR30; HEX3-HEX4(x3)-HEX5-HEX6(x3)-HEX8; R1-R2 |  |
| 6950       | 1/4"; 1/4"; 120 mm   |  |
| 8150-1/2   | 1/2"; 1/2"; 270 mm   |  |
| 6700SM     | 1/4"; 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 mm  |  |
| A6800DM    | 1/4"; 7-8-9-10-11-13 mm  |  |
| 6956       | 1/4"; 1/4"; 150 mm   |  |
| 6961       | 1/4"; 1/4"; 100 mm   |  |
| 6966       | 1/4"; 1/4"; 35 mm  |  |
| 7800SM     | 1/2"; 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm  |  |
| 7805DM     | 1/2"; 10-13-17-18-19-16-21-22 mm   |  |

|           |                    |  |
|-----------|--------------------|--|
| 7805SM    | 1/2"; 16-21 mm     |  |
| 8160-1/2  | 1/2"; 1/2"; 125 mm |  |
| 8162-1/2  | 1/2"; 1/2"; 250 mm |  |
| 8166-1/2  | 1/2"; 1/2"; 72 mm  |  |
| 8156-1/2  | 1/2"; 1/2"; 257 mm |  |
| 7106S0080 | 1/2"; 5/16"        |  |
| 6973      | 1/4"; 1/4"         |  |
| 70S       | 5/16"; 145-T50-T55 |  |



**BRING OUT  
THE PILOT  
IN YOU**



**WIN A DRIVING EXPERIENCE**  
WE WILL GIVE YOU A GREAT DAY AT A EUROPEAN RACE TRACK



**OPTION 1 - DIRECT PRIZE!!**  
**10 GOLDEN TICKETS TO BE WON!**  
**FIND YOURS IN ONE OF THE CAMPAIGN ITEMS**



**OPTION 2 - REGISTER ONLINE**  
**GO TO BAHCO.COM AND GET THE CHANCE**  
**TO DRIVE A SPORTS CAR\***  
**\*ALL TERMS AND CONDITIONS ARE AVAILABLE ON WWW.BAHCO.COM**



The company SNA Europe SAS, a French 'société par actions simplifiées' registered in France (Pontoise) under the registration number 509 621 736 and whose registered office is located at Allée Rosa Luxembourg - 95610 ERAGNY SUR OISE (the 'Organising Company'), is organising a 'Golden Ticket' operation (the Operation) from 1st of April 2017 to 31st December 2017. This Operation is available to any adult (over 18 years old) residing in Austria, Belgium, Czech Republic, Denmark, Finland, Germany, Greece, Hungary, Italy, Luxembourg, Metropolitan France (including Corsica), Netherlands, Norway, Poland, Portugal, Slovakia, Spain, Sweden, Switzerland and the UK. The Operation will be valid for all tickets found inside a Bahco product package linked to the campaign called 'Storage deals' from 1st of April 2017 to 31st of December 2017. For the whole Operation, 10 Golden tickets will be offered as Prizes: Each Golden ticket offers the possibility for two people to attend the one-day event, 'Be a pilot', which will consist of a day at a race track in Madrid, Spain (place to be confirmed to the participants) to drive a sports car (models of cars to be confirmed to the participants). The event will take place in April 2018 (date to be confirmed to the participants). The winner and his/her companion will need to contact the Organising Company at the email address: beapilot@bahco.com to confirm their participation when the Golden Ticket is found, by 15th of January 2018 at the latest. The participants must be over 18-years old, have a valid driving licence and a medical certificate less than six months old 'authorising the holder to take part in car racing events' which will need to be provided to SNA Europe before the prize is confirmed. SNA Europe may reject the winner of a Prize, if the conditions are not met. All necessary equipment will be provided by the event organiser and only sports shoes will have to be brought by the participants. The commercial value of the event is approximately €2,000. The Prizes cannot in any way be exchanged against their value in cash, or against any other kind of reward. The prize also includes a round-trip from the participants' country of residence, ground transportation during the event, accommodation for the nights before and after the event, breakfast, lunch and dinner during the race day. Terms and conditions of this Operation can be found at [www.bahco.com](http://www.bahco.com).